

PRODUCT DATA SHEET

ZAMAC 3

DESCRIPTION

Zamac 3 zinc alloy. Chemical composition complies with norms ASTM B240-10 and EN 1774.

CHEMICAL COMPOSITION



ELEMENTS	CONTENT (%)
Al	3,9 – 4,2
Mg	0,035 – 0,06
Cu	0,03 max
Ni	0,001 max
Fe	0,020 max
Pb	0,003 max
Cd	0,0030 max
Sn	0,001 max
Si	0,02 max
Zn	Balance

PRESENTATIONS

Type A

Typical weight of standard ingots	: 10 - 10,5 kg.
Typical weight of base ingots	: 12 - 12,5 kg.
Quantity of ingots per bundle (4 base ingots + 104 standard ingots)	: 108 ingots
Average weight per bundle	: 1000 - 1200 kg.

Typical dimensions



Type B

Typical weight of standard ingot

: 6 – 6,5 kg

Typical weight of base ingots

: 12 – 12,5 kg

Quantity of ingots per bundle
(4 base ingots + 170 standard ingots)

: 174 ingots

Average weight per bundle

: 1000 - 1200 kg

Typical dimensions

