

PRODUCT DATA SHEET

ZAMAC 7

DESCRIPTION

Zamac 7 zinc alloy. Chemical composition complies with norm ASTM B240-10.

CHEMICAL COMPOSITION

ELEMENTS	CONTENT (%)
Al	3,9 – 4,3
Mg	0,010 – 0,020
Cu	0,10 max
Ni	0,005 – 0,020
Fe	0,035 max
Pb	0,0030 max
Cd	0,0020 max
Sn	0,0010 max
Zn	Balance



PRESENTATIONS

Type A

Typical weight of standard ingots	: 10 - 10,5 kg.
Typical weight of base ingots	: 12 - 12,5 kg.
Quantity of ingots per bundle (4 base ingots + 104 standard ingots)	: 108 ingots
Average weight per bundle	: 1000 - 1200 kg.

IEQSA

Typical dimensions



Type B

Typical weight of standard ingot	: 6 – 6,5 kg
Typical weight of base ingots	: 12 – 12,5 kg
Quantity of ingots per bundle (4 base ingots + 170 standard ingots)	: 174 ingots
Average weight per bundle	: 1000 - 1200 kg

Typical dimensions

